UIE P006 Resp Exh B Excel to HTML.htm

```
<html xmlns:o="urn:schemas-microsoft-com:office:office"
xmlns:x="urn:schemas-microsoft-com:office:excel"
xmlns:st1="urn:schemas-microsoft-com:office:smarttags"
xmlns="http://www.w3.org/TR/REC-html40">

<head>
<meta http-equiv=Content-Type content="text/html; charset=windows-1252">
<meta name=ProgId content=Excel.Sheet>
<meta name=Generator content="Microsoft Excel 11">
<link rel=File-List
href="UIE%20P006%20Resp%20ExhbitB%20%20Excel%20to%20Webpage_files/filelist.xml">
<link rel=Edit-Time-Data
href="UIE%20P006%20Resp%20ExhbitB%20%20Excel%20to%20Webpage_files/editdata.mso">
<link rel=OLE-Object-Data
href="UIE%20P006%20Resp%20ExhbitB%20%20Excel%20to%20Webpage_files/oledata.mso">
<!--[if gte mso 9]><xml>
 <o:DocumentProperties>
  <o:Author>.</o:Author>
  <o:LastAuthor>.</o:LastAuthor>
  <o:Created>2005-08-08T15:21:44Z</o:Created>
  <o:LastSaved>2005-08-08T15:30:26Z</o:LastSaved>
  <o:Company>Schwabe, Williamson &amp; Wyatt</o:Company>
  <o:Version>11.6408</o:Version>
 </o:DocumentProperties>
</xml><![endif]-->
<style>
<!--table
        {mso-displayed-decimal-separator:"\.";
        mso-displayed-thousand-separator:"\,";}
@page
        {margin:1.0in .75in 1.0in .75in;
        mso-header-margin:.5in;
        mso-footer-margin:.5in;}
.font5
        {color:windowtext;
        font-size:12.0pt;
        font-weight:400;
        font-style:normal;
        text-decoration:none;
        font-family:Arial, sans-serif;
        mso-font-charset:0;}
.font7
        {color:windowtext;
        font-size:10.0pt;
        font-weight:400;
        font-style:normal;
        text-decoration:none;
        font-family:Arial, sans-serif;
        mso-font-charset:0;}
.font8
        {color:windowtext;
        font-size:10.0pt;
        font-weight:400;
        font-style:italic;
        text-decoration:none;
        font-family:Arial, sans-serif;
        mso-font-charset:0;}
.font10
        {color:windowtext;
        font-size:12.0pt;
        font-weight:400;
        font-style:italic;
        text-decoration:none;
```

EXHIBIT B

```
        font-family:Arial, sans-serif;
        mso-font-charset:0;}
tr
        {mso-height-source:auto;}
col
        {mso-width-source:auto;}
br
        {mso-data-placement:same-cell;}
.style0
        {mso-number-format:General;
        text-align:general;
        vertical-align:bottom;
        white-space:nowrap;
        mso-rotate:0;
        mso-background-source:auto;
        mso-pattern:auto;
        color:windowtext;
        font-size:10.0pt;
        font-weight:400;
        font-style:normal;
        text-decoration:none;
        font-family:Arial;
        mso-generic-font-family:auto;
        mso-font-charset:0;
        border:none;
        mso-protection:locked visible;
        mso-style-name:Normal;
        mso-style-id:0;}
td
        {mso-style-parent:style0;
        padding-top:1px;
        padding-right:1px;
        padding-left:1px;
        mso-ignore:padding;
        color:windowtext;
        font-size:10.0pt;
        font-weight:400;
        font-style:normal;
        text-decoration:none;
        font-family:Arial;
        mso-generic-font-family:auto;
        mso-font-charset:0;
        mso-number-format:General;
        text-align:general;
        vertical-align:bottom;
        border:none;
        mso-background-source:auto;
        mso-pattern:auto;
        mso-protection:locked visible;
        white-space:nowrap;
        mso-rotate:0;}
.xl24
        {mso-style-parent:style0;
        font-size:12.0pt;
        font-family:Arial, sans-serif;
        mso-font-charset:0;}
.xl25
        {mso-style-parent:style0;
        font-size:12.0pt;
        font-family:Arial, sans-serif;
        mso-font-charset:0;
        vertical-align:top;
        white-space:normal;}
```

```
.x126
        {mso-style-parent:style0;
        vertical-align:top;
        white-space:normal;}
.x127
        {mso-style-parent:style0;
        font-family:Arial, sans-serif;
        mso-font-charset:0;}
.x128
        {mso-style-parent:style0;
        font-size:12.0pt;
        text-decoration:underline;
        text-underline-style:single;
        font-family:Arial, sans-serif;
        mso-font-charset:0;
        text-align:left;
        vertical-align:top;
        white-space:normal;}
.x129
        {mso-style-parent:style0;
        font-size:12.0pt;
        font-family:Arial, sans-serif;
        mso-font-charset:0;
        text-align:left;
        vertical-align:top;
        white-space:normal;}
.x130
        {mso-style-parent:style0;
        font-size:12.0pt;
        font-weight:700;
        text-decoration:underline;
        text-underline-style:single;
        font-family:Arial, sans-serif;
        mso-font-charset:0;
        text-align:center;
        vertical-align:top;
        white-space:normal;}
.x131
        {mso-style-parent:style0;
        font-size:12.0pt;
        font-weight:700;
        text-decoration:underline;
        text-underline-style:single;
        font-family:Arial, sans-serif;
        mso-font-charset:0;
        vertical-align:top;
        white-space:normal;}
-->
</style>
<!--[if gte mso 9]><xml>
 <x:ExcelWorkbook>
  <x:ExcelWorksheets>
   <x:ExcelWorksheet>
    <x:Name>Sheet1</x:Name>
    <x:WorksheetOptions>
     <x:Print>
      <x:ValidPrinterInfo/>
      <x:HorizontalResolution>600</x:HorizontalResolution>
      <x:VerticalResolution>600</x:VerticalResolution>
     </x:Print>
     <x:Selected/>
     <x:TopRowVisible>16</x:TopRowVisible>
     <x:Panes>
```

```
    <x:Pane>
     <x:Number>3</x:Number>
     <x:ActiveRow>27</x:ActiveRow>
    </x:Pane>
   </x:Panes>
   <x:ProtectContents>False</x:ProtectContents>
   <x:ProtectObjects>False</x:ProtectObjects>
   <x:ProtectScenarios>False</x:ProtectScenarios>
  </x:WorksheetOptions>
 </x:ExcelWorksheet>
 <x:ExcelWorksheet>
  <x:Name>Sheet2</x:Name>
  <x:WorksheetOptions>
   <x:ProtectContents>False</x:ProtectContents>
   <x:ProtectObjects>False</x:ProtectObjects>
   <x:ProtectScenarios>False</x:ProtectScenarios>
  </x:WorksheetOptions>
 </x:ExcelWorksheet>
 <x:ExcelWorksheet>
  <x:Name>Sheet3</x:Name>
  <x:WorksheetOptions>
   <x:ProtectContents>False</x:ProtectContents>
   <x:ProtectObjects>False</x:ProtectObjects>
   <x:ProtectScenarios>False</x:ProtectScenarios>
  </x:WorksheetOptions>
 </x:ExcelWorksheet>
 </x:ExcelWorksheets>
 <x:WindowHeight>7305</x:WindowHeight>
 <x:WindowWidth>10380</x:WindowWidth>
 <x:WindowTopX>360</x:WindowTopX>
 <x:WindowTopY>45</x:WindowTopY>
 <x:ProtectStructure>False</x:ProtectStructure>
 <x:ProtectWindows>False</x:ProtectWindows>
 </x:ExcelWorkbook>
</xml><![endif]-->
</head>

<body link=blue vlink=purple lang=EN-US style='tab-interval:.5in'>

<table x:str border=0 cellpadding=0 cellspacing=0 width=1717 style='border-collapse:
 collapse;table-layout:fixed;width:1288pt'>
 <col width=693 style='mso-width-source:userset;mso-width-alt:25344;width:520pt'>
 <col width=64 span=16 style='width:48pt'>
 <tr height=21 style='height:15.75pt'>
  <td height=21 class=xl31 width=693 style='height:15.75pt;width:520pt'>Remarks</td>
  <td width=64 style='width:48pt'></td>
  <td width=64 style='width:48pt'></td>
  <td width=64 style='width:48pt'></td>
  <td width=64 style='width:48pt'></td>
  <td width=64 style='width:48pt'></td>
  <td width=64 style='width:48pt'></td>
  <td width=64 style='width:48pt'></td>
  <td width=64 style='width:48pt'></td>
  <td width=64 style='width:48pt'></td>
  <td width=64 style='width:48pt'></td>
  <td width=64 style='width:48pt'></td>
  <td width=64 style='width:48pt'></td>
  <td width=64 style='width:48pt'></td>
  <td width=64 style='width:48pt'></td>
  <td width=64 style='width:48pt'></td>
  <td width=64 style='width:48pt'></td>
 </tr>
 <tr height=80 style='height:60.0pt'>
```

```
  <td height=80 class=x125 width=693 style='height:60.0pt;width:520pt'
  x:str="In the Office Action dated May 06, 2005, claims 1-40 were rejected under 35
U.S.C. § 103(a).  In response, Applicant has amended claims 1-17, 19-37, and 39-40.
All amendments are fully supported by the original disclosure.  No new matter has
been introduced.  Accordingly, claims 1-40 remain pending.  ">In
  the Office Action dated May 06, 2005, claims 1-40 were rejected under 35
  U.S.C. § 103(a).<span style='mso-spacerun:yes'>  </span>In response,
  Applicant has amended claims 1-17, 19-37, and 39-40.<span
  style='mso-spacerun:yes'>  </span>All amendments are fully supported by the
  original disclosure.<span style='mso-spacerun:yes'>  </span>No new matter has
  been introduced.<span style='mso-spacerun:yes'>  </span>Accordingly, claims
  1-40 remain pending.<span style='mso-spacerun:yes'>  </span></td>
  <td colspan=16 style='mso-ignore:colspan'></td>
 </tr>
 <tr height=20 style='height:15.0pt'>
  <td height=20 class=x128 width=693 style='height:15.0pt;width:520pt'><span
  style='mso-bidi-font-family:"Times New Roman";mso-no-proof:no'>Rejections
  under 103(a)</span></td>
  <td colspan=16 style='mso-ignore:colspan'></td>
 </tr>
 <tr height=40 style='height:30.0pt'>
  <td height=40 class=x125 width=693 style='height:30.0pt;width:520pt'>Claims
  1-40 were rejected under 35 USC 103(a) over U.S. Patent Number 6,598,076 to
  Chand <font class="font10">et al</font><font class="font5">, ("Chand") in
  view of U.S. Patent Number 6,178,432 to Cook </font><font
class="font10">et</font><font
  class="font5"> </font><font class="font10">al</font><font class="font5">,
  ("Cook").<span style='mso-spacerun:yes'>  </span></font></td>
  <td class=x127 colspan=16 style='mso-ignore:colspan'>Claims 1-40 were
  rejected under 35 USC 103(a) over U.S. Patent Number 6,598,076 to Chand <font
  class="font8">et al</font><font class="font7">, ("Chand") in view of U.S.
  Patent Number 6,178,432 to Cook </font><font class="font8">et</font><font
  class="font7"> </font><font class="font8">al</font><font class="font7">,
  ("Cook").<span style='mso-spacerun:yes'> </span></font></td>
 </tr>
 <tr height=20 style='height:15.0pt'>
  <td height=20 class=x125 width=693 style='height:15.0pt;width:520pt'
  x:str="Claim 1 now requires in part the operation of ">Claim 1 now requires
  in part the operation of<span style='mso-spacerun:yes'> </span></td>
  <td colspan=16 style='mso-ignore:colspan'></td>
 </tr>
 <tr height=60 style='height:45.0pt'>
  <td height=60 class=x125 width=693 style='height:45.0pt;width:520pt'>"processing
  … a binary file generated by a source application to identify one or more
  user interface displays rendered when contents of the binary file are viewed
  using the source application; and</td>
  <td colspan=16 style='mso-ignore:colspan'></td>
 </tr>
 <tr height=20 style='height:15.0pt'>
  <td height=20 class=x125 width=693 style='height:15.0pt;width:520pt'>generating
  .. a self-contained representations of the one or more user interface
  displays …"</td>
  <td colspan=16 style='mso-ignore:colspan'></td>
 </tr>
 <tr height=120 style='height:90.0pt'>
  <td height=120 class=x125 width=693 style='height:90.0pt;width:520pt'>Thus,
  when Claim 1 is viewed as a whole, as required by law, it is directed towards
  a novel method that enables viewing of contents of a binary file without
  usage of the source application that generated the binary file, through
  determination of the user interface displays otherwise would have been
  rendered had the source application been used for its viewing, and creation
  of a self-contained representation of these user interface displays using
  user interface display specifications."</td>
```

```
  <td colspan=16 style='mso-ignore:colspan'></td>
 </tr>
 <tr height=200 style='height:150.0pt'>
  <td height=200 class=x125 width=693 style='height:150.0pt;width:520pt'
  x:str="In contrast, Chand merely teaches of a translator computer 20 that can open
a particular attachment to an email, reformat the attachment to HTML (col. 5, lines
40-45) and embed it in a new message (col. 4, lines 3-14).  Exhibit A illustrates
the HTML source of a HTML page generated from a Word document having the remarks of
this paper, and Exhibit B illustrate the HTML source of a HTML page generated from
an Excel spreadheet having the same,  Applicant submits such translation does not
suggest the recited "processing" operation for "ideitifying one or more user
interface displays rendered when contents of the binary file are viewed using the
source application".  It follows then Chad does not suggest the recited "generation"
operation for generating the self-contained representation having one or more user
interface specifications specifying the identified one or more user interface
displays.  ">In
    contrast, Chand merely teaches of a translator computer 20 that can open a
    particular attachment to an email, reformat the attachment to HTML (col. 5,
    lines 40-45) and embed it in a new message (col. 4, lines 3-14).<span
    style='mso-spacerun:yes'>  </span>Exhibit A illustrates the HTML source of a
    HTML page generated from a Word document having the remarks of this paper,
    and Exhibit B illustrate the HTML source of a HTML page generated from an
    Excel spreadheet having the same,<span style='mso-spacerun:yes'>  </span>
    </span>Applicant submits such translation does not suggest the recited
    "processing" operation for "ideitifying one or more user interface displays
    rendered when contents of the binary file are viewed using the source
application".<span
    style='mso-spacerun:yes'>  </span>It follows then Chad does not suggest the
    recited "generation" operation for generating the self-contained
    representation having one or more user interface specifications specifying
    the identified one or more user interface displays.<span
    style='mso-spacerun:yes'>  </span></span></td>
  <td colspan=16 style='mso-ignore:colspan'></td>
 </tr>
 <tr height=80 style='height:60.0pt'>
  <td height=80 class=x125 width=693 style='height:60.0pt;width:520pt'
  x:str="Cook teaches a method for creating a web page using a number of objects.
Thus, Cook does not remedy Chang's deficiencies.  When combined (ignoring the issue
of whether there is motivation to do so), Chang and Cook at best teaches of a
translation method with the HTML constituted using various objects to represent
different portions of a web page.  ">Cook
    teaches a method for creating a web page using a number of objects.<span
    style='mso-spacerun:yes'>  </span>Thus, Cook does not remedy Chang's
    deficiencies.<span style='mso-spacerun:yes'>  </span>When combined (ignoring
    the issue of whether there is motivation to do so), Chang and Cook at best
    teaches of a translation method with the HTML constituted using various
    objects to represent different portions of a web page.<span
    style='mso-spacerun:yes'>  </span></span></td>
  <td colspan=16 style='mso-ignore:colspan'></td>
 </tr>
 <tr height=40 style='height:30.0pt'>
  <td height=40 class=x125 width=693 style='height:30.0pt;width:520pt'
  x:str="Therefore, for at least the foregoing reasons, Chang and Cook in
combination does not suggest amended claim 1.  ">Therefore,
    for at least the foregoing reasons, Chang and Cook in combination does not
    suggest amended claim 1.<span style='mso-spacerun:yes'>  </span></span></td>
  <td colspan=16 style='mso-ignore:colspan'></td>
 </tr>
 <tr height=60 style='height:45.0pt'>
  <td height=60 class=x125 width=693 style='height:45.0pt;width:520pt'>Each of
    independent claim 7, 15, 21, 27 and 35 contains in substance the same
    recitations earlier discussed for claim 1.<span style='mso-spacerun:yes'>  </span>
    </span>Accordingly, for at least the same reasons, claims 7, 15, 21, 27 and
```

```
35 are patentable over Chang and Cook.</td>
  <td colspan=16 style='mso-ignore:colspan'></td>
 </tr>
 <tr height=60 style='height:45.0pt'>
  <td height=60 class=x125 width=693 style='height:45.0pt;width:520pt'
  x:str="Claims 2-6, 8-14, 16-20, 22-26, 28-34, and 36-40 depend from claims 1, 7,
15, 21, 27, and 35 respectively.  Thus, for at least the same reasons, claims 2-6
and 22-26 are patentable over Chang and Cook.  ">Claims
  2-6, 8-14, 16-20, 22-26, 28-34, and 36-40 depend from claims 1, 7, 15, 21,
  27, and 35 respectively.<span style='mso-spacerun:yes'>  </span>Thus, for at
  least the same reasons, claims 2-6 and 22-26 are patentable over Chang and
  Cook.<span style='mso-spacerun:yes'>  </span></td>
  <td colspan=16 style='mso-ignore:colspan'></td>
 </tr>
 <tr height=40 style='height:30.0pt'>
  <td height=40 class=x125 width=693 style='height:30.0pt;width:520pt'>Claims
  2-40 are patentable over Chang and Cook for a number of other reasons,
  including but not limited to, for example,</td>
  <td colspan=16 style='mso-ignore:colspan'></td>
 </tr>
 <tr height=80 style='height:60.0pt'>
  <td height=80 class=x129 width=693 style='height:60.0pt;width:520pt'><span

style='mso-bidi-font-size:10pt;mso-fareast-font-family:Arial'>-   &nb
sp;     
  claims 4, 8, 16, 24, 28, and 36 are patentable over Chang and Cook, because
  they failed to teach or suggest the recited attachment of the self-contained
  representation with the original electronic message; Chand and Cook teaches
  embedding the translated attachment in a new message;</span></td>
  <td colspan=16 style='mso-ignore:colspan'></td>
 </tr>
 <tr height=60 style='height:45.0pt'>
  <td height=60 class=x129 width=693 style='height:45.0pt;width:520pt'><span

style='mso-bidi-font-size:10pt;mso-fareast-font-family:Arial'>-   &nb
sp;     
  claims 7, 15, 27 and 35 are patenable over Chang and Cook, beceause neither
  suggest the recited "selecting a set of user interface display specifications
  from a plurality of sets of user interface display specifications, based at
  least in part on the identified format of the binary file.</span></td>
  <td colspan=16 style='mso-ignore:colspan'></td>
 </tr>
 <tr height=21 style='height:15.75pt'>
  <td height=21 class=x130 width=693 style='height:15.75pt;width:520pt'><span
  style='mso-bidi-font-family:"Times New Roman"'>Conclusion</span></td>
  <td colspan=16 style='mso-ignore:colspan'></td>
 </tr>
 <tr height=40 style='height:30.0pt'>
  <td height=40 class=x125 width=693 style='height:30.0pt;width:520pt'
  x:str="Claims 1-40 are believed to be in condition for allowance.  Entry of the
foregoing remarks is respectfully requested and a Notice of Allowance is earnestly
solicited.  "><span
  style='mso-bidi-font-family:"Times New Roman"'>Claims 1-40 are believed to be
  in condition for allowance.<span style='mso-spacerun:yes'>  </span>Entry of
  the foregoing remarks is respectfully requested and a Notice of Allowance is
  earnestly solicited.<span style='mso-spacerun:yes'>  </span></span></td>
  <td colspan=16 style='mso-ignore:colspan'></td>
 </tr>
 <tr height=20 style='height:15.0pt'>
  <td height=20 class=x125 width=693 style='height:15.0pt;width:520pt'><span
  style='mso-bidi-font-family:"Times New Roman"'>Please charge any shortages
  and credit any overages to Deposit Account No. 500393.</span></td>
  <td colspan=16 style='mso-ignore:colspan'></td>
```

```
</tr>
<tr height=20 style='height:15.0pt'>
 <td height=20 class=x125 width=693 style='height:15.0pt;width:520pt'></td>
 <td colspan=16 style='mso-ignore:colspan'></td>
</tr>
<tr height=20 style='height:15.0pt'>
 <td height=20 class=x124 style='height:15.0pt'>Respectfully submitted,</td>
 <td colspan=16 style='mso-ignore:colspan'></td>
</tr>
<tr height=20 style='height:15.0pt'>
 <td height=20 class=x124 style='height:15.0pt'>SCHWABE, WILLIAMSON &amp;
WYATT, P.C.</td>
 <td colspan=16 style='mso-ignore:colspan'></td>
</tr>
<tr height=85 style='height:63.75pt;mso-xlrowspan:5'>
 <td height=85 colspan=17 style='height:63.75pt;mso-ignore:colspan'></td>
</tr>
<tr height=20 style='height:15.0pt'>
 <td height=20 class=x124 style='height:15.0pt'>Al AuYeung</td>
 <td colspan=16 style='mso-ignore:colspan'></td>
</tr>
<tr height=20 style='height:15.0pt'>
 <td height=20 class=x124 style='height:15.0pt'>Reg No. 35,432</td>
 <td colspan=16 style='mso-ignore:colspan'></td>
</tr>
<tr height=20 style='height:15.0pt'>
 <td height=20 class=x124 style='height:15.0pt'></td>
 <td colspan=16 style='mso-ignore:colspan'></td>
</tr>
<tr height=20 style='height:15.0pt'>
 <td height=20 class=x125 width=693 style='height:15.0pt;width:520pt'>Pacwest
Center, Suites 1600-1900</td>
 <td colspan=16 style='mso-ignore:colspan'></td>
</tr>
<tr height=20 style='height:15.0pt'>
 <td height=20 class=x125 width=693 style='height:15.0pt;width:520pt'>1211 SW
Fifth Avenue</td>
 <td colspan=16 style='mso-ignore:colspan'></td>
</tr>
<tr height=20 style='height:15.0pt'>
 <td height=20 class=x125 width=693 style='height:15.0pt;width:520pt'>Portland,
Oregon 97204</td>
 <td colspan=16 style='mso-ignore:colspan'></td>
</tr>
<tr height=20 style='height:15.0pt'>
 <td height=20 class=x125 width=693 style='height:15.0pt;width:520pt'>Telephone:
503-222-9981</td>
 <td colspan=16 style='mso-ignore:colspan'></td>
</tr>
<tr height=20 style='height:15.0pt'>
 <td height=20 class=x125 width=693 style='height:15.0pt;width:520pt'></td>
 <td colspan=16 style='mso-ignore:colspan'></td>
</tr>
<tr height=20 style='height:15.0pt'>
 <td height=20 class=x125 width=693 style='height:15.0pt;width:520pt'></td>
 <td colspan=16 style='mso-ignore:colspan'></td>
</tr>
<tr height=17 style='height:12.75pt'>
 <td height=17 class=x126 style='height:12.75pt'></td>
 <td colspan=16 style='mso-ignore:colspan'></td>
</tr>
<![if supportMisalignedColumns]>
<tr height=0 style='display:none'>
```

```
    <td width=693 style='width:520pt'></td>
    <td width=64 style='width:48pt'></td>
    <td width=64 style='width:48pt'></td>
    <td width=64 style='width:48pt'></td>
    <td width=64 style='width:48pt'></td>
    <td width=64 style='width:48pt'></td>
    <td width=64 style='width:48pt'></td>
    <td width=64 style='width:48pt'></td>
    <td width=64 style='width:48pt'></td>
    <td width=64 style='width:48pt'></td>
    <td width=64 style='width:48pt'></td>
    <td width=64 style='width:48pt'></td>
    <td width=64 style='width:48pt'></td>
    <td width=64 style='width:48pt'></td>
    <td width=64 style='width:48pt'></td>
    <td width=64 style='width:48pt'></td>
    <td width=64 style='width:48pt'></td>
  </tr>
  <![endif]>
</table>

</body>

</html>
```